

To: The Occupier  
Our Ref 22015044

**Gloucestershire County Council**  
Shire Hall  
Westgate Street  
Gloucestershire  
GL1 2TH  
08000 514514

email: [majorprojects@gloucestershire.gov.uk](mailto:majorprojects@gloucestershire.gov.uk)

**Date:** 21<sup>st</sup> June 2017

Dear Resident,

**Re: Gloucester South West Bypass (Llanthony Road) Improvement Scheme**

To reduce congestion at peak periods, improve journey time reliability and support growth, Gloucestershire County Council together with GFirst LEP, are proposing to undertake highway improvement works to Llanthony Road (Gloucester South West By-Pass). The scheme includes:

- Widening the road and adding additional lanes in both directions, converting the road from single carriageway to a dual carriageway.
- Separate right turning lanes for motorists turning into Sudmeadow Road, Hemmingsdale Road and Llanthony Road Business Park.
- New traffic signals at Sudmeadow Road with pedestrian crossing facilities.
- Increasing the width of the footways for pedestrians on both sides of Llanthony Road.

**Tell us your views**

We are inviting members of the public to take part by giving their feedback on the proposals at public share events, where representatives from Gloucestershire County Council and their service delivery partner Amey will be on hand to listen to your views and answer any questions you may have.

These events are as follows:


Location	Date	Time
Sainsbury's (Gloucester Quays) car park, off St Ann Way, GL2 5SA	Wednesday 5 <sup>th</sup> July 2017	10am-4pm
Gordon League Rugby Club, Hempsted Lane, GL2 5JN	Tuesday 11 <sup>th</sup> July 2017	4pm-7pm

Further information is also available online at [www.gloucestershire.gov.uk/majorschemes](http://www.gloucestershire.gov.uk/majorschemes). We look forward to receiving your feedback.

Yours sincerely

Project Manager, Amey

For and on behalf of Gloucestershire County Council



© Crown Copyright and database rights 2017. Ordnance Survey 100019134  
Use of this data is subject to terms and conditions