



Intimate Personal Care And Clinical Tasks

AUTHOR: Janet Waters

AUTHOR'S TITLE: Strategic Planning & Policy officer

DATE: April 2010

Revised and checked: May 2011

Revised for MCA Compliance by David Pugh MHA & MCA
Implementation Manager October 2011

TITLE

Contents	Page
1. <u>Policy Statement</u>	4
2. <u>Definitions</u>	4
3. <u>Scope</u>	5
4. <u>Legal Context</u>	5
5. <u>Mandatory Procedures</u>	5
6. <u>Practice Guidance – General Personal Care</u>	5
7. <u>Washing, Dressing, Toileting</u>	5
8. <u>Nail Care</u>	6
9. <u>Shaving</u>	6
10. <u>Glasses and Contact Lenses</u>	6
11. <u>Dental Care</u>	7
12. <u>Hearing Aids</u>	7
13. <u>Sanitary / Incontinence Protection</u>	7
14. <u>Contraceptive Devices</u>	7
15. <u>Body Piercing</u>	8
16. <u>Practice Guidance – Clinical Tasks</u>	8
17. <u>Category 1 – Acceptable Tasks</u>	9
18. <u>Category 2 – Tasks that may be delegated by a health professional</u>	10
19. <u>Category 3 – Tasks not to be performed in any circumstances</u>	11
20. <u>Emergency Procedures</u>	11
21. <u>Cardiac and Respiratory Resuscitation/DNR notices</u>	13
22. <u>Self-directed care</u>	13

<u>23. Recording</u>	13
<u>24. Implementation</u>	14
<u>25. Monitoring and Review</u>	14
<u>26. Acknowledgements</u>	14

Intimate personal care and clinical tasks

1. Policy Statement

1.1 The Directorate is committed to providing personal care that has been recognised as an assessed need and indicated in the care plan, in ways that:

- Maintain the dignity of the individual.
- Are sensitive to their individual needs and preferences.
- Maximise safety and comfort.
- Protect against intrusion and abuse.
- Respect the person's right to give or withdraw their consent.
- Encourage the individual to care for themselves as much as they are able.

1.2 These principles of care also apply to the activities known as 'Clinical Tasks' which require additional training by either the Gloucestershire County Council training section or the health professional who is delegating the task. There are important conditions attached to each category of task, which must be fulfilled before NHS Gloucestershire Care Services, or the Gloucestershire County Council training section deem a care worker to be competent. CQC stress that Gloucestershire County Council staff and the independent contracted care providers' staff can refuse to perform a task if they do not feel competent to undertake it.

2. Definitions

2.1 Intimate personal care is hands-on physical care in personal hygiene, and/or physical presence or observation during such activities. It includes:

- Body bathing other than to arms, face and legs below the knee.
- Toileting, wiping and care in the genital and anal areas.
- Continence care.
- Placement, removal and changing of incontinence pads.
- Menstrual hygiene.
- Assistance with contraceptive devices.
- Dressing and undressing.

2.2 Clinical tasks are those tasks which have traditionally been undertaken by staff from health, but which can legally be delegated to care staff. This care falls into three main categories:

- Acceptable care tasks i.e. tasks which just require additional training e.g. catheter and stoma care.
- Negotiable care tasks which include:
 - Complex care e.g. fitting prescription support stockings

- Treatments e.g. assisting with the administration of oxygen
- Emergency care procedures e.g. anaphylactic pens
- Tasks that are not to be performed by social care staff

3. Scope

This policy applies to all staff, both in-house and working for contracted providers, undertaking personal care or clinical tasks with adults in domiciliary, day care and residential settings. The aim of all staff should be to promote as much independence as is reasonably possible.

4. Legal Context

Guidance about compliance with the Health and Social Care Act 2008 (Registration requirements) Regulations 2009.

5. Mandatory Procedures

5.1 All staff should be checked with the vetting and barring scheme of the independent Safeguarding Authority to ensure that there is no reason why they should not work with vulnerable adults.

5.2 Staff undertaking personal care, and the more complex clinical tasks should always act in accordance with the policy.

5.3 Staff must have received training before undertaking any of the tasks detailed in the care plan.

5.4 People must give written consent before any of the detailed tasks in the care plan are undertaken since they may include very intimate, personal tasks. Staff must at all times explain what they are doing to ensure consent is 'informed' and wherever possible verbal or non-verbal consent should be obtained each time the procedure is carried out. Where a person may lack capacity in relation to a particular procedure the decision-maker should carry out an assessment of mental capacity & make a best interests decision. See: Mental Capacity Act Policy and Guidance

5.5 If a service user refuses the intervention of a care worker, this must be recorded on the service user's file and the matter brought to the attention of the line manager since it may be necessary to change the support plan. Discussions need to take place with the service user as to the reasons for their decision and the possible consequences of the failure to meet this identified need. All involved professionals must be informed of the situation. If the situation remains unresolved, a senior manager may use their discretion to consult Legal Services to see if this constitutes a refusal of service.

5.6 This policy must be read in conjunction with the medication policy appropriate to the service:

6. Practice Guidance - General Personal Care

6.1 People should be encouraged and supported to be as independent as possible in all their care tasks. Staff should never undertake tasks which people are able to perform themselves with sufficient time and support.

6.2 People should be offered as much consistency of care as possible so that they can develop a rapport with the care staff.

6.3 Wherever possible, both men and women should be employed, and people allowed to choose the gender of their care staff, **except** where there is evidence that this would expose the care worker to sexual harassment or assault. Care staff must report any abuse to their line manager and support must be offered in line with the Post Incident Support Policy.

6.4 Care staff must be culturally sensitive and aware of different concepts of privacy, nudity and in/appropriate touch.

7. Washing, dressing, toileting.

7.1 People must be encouraged and supported to conduct their own self-care as much as possible. It must not be undertaken by staff because they feel it is quicker or more convenient.

7.2 Staff must respect the personal religious beliefs and customs of the people they are supporting with regards to cleansing as long as it is within Health and Safety guidelines and falls within the competency level to which they were trained.

7.3 People must be offered maximum privacy within the constraints of needing to be assisted and accompanied.

7.4 If staff should notice any changes in an individual's appearance that may require attention e.g. rashes, blisters, sores etc these should be noted on the individual's file and the person supported to seek medical attention.

8. Nail Care

8.1 Nail care needs to be approached with caution. Care of finger nails may be undertaken if staff complete a risk assessment which indicates that there are no contra-indications. Nails should be filed with an emery board.

8.2 Foot care should be treated with caution. A risk assessment must be completed to see if the service user is suitable and only staff who have received training from the NHS Gloucestershire podiatry service should

undertake the task of cutting toenails or using a pumice or file on dry skin. If there are needs in excess of basic foot care, the person should be referred to the podiatry service of NHS Gloucestershire.

9. Shaving

9.1 Staff may assist individuals to shave facial hair using an electric razor if this is part of the care plan.

9.2 Staff should only assist people to wet shave if they feel competent to do so and must be mindful of safety considerations.

9.3 Staff will not normally shave body hair, except underarms by request on hygiene grounds.

10. Contact Lenses and Spectacles

10.1 Staff may assist people to clean and put on glasses.

10.2 Due to the risk of harm, staff must not insert contact lenses.

11. Dental Care

11.1 Staff may assist individuals to clean and insert false teeth, if so requested.

11.2 Staff may assist individuals to cleanse their natural teeth and perform mouth care tasks as indicated in the care plan.

12. Hearing Aids

12.1 Once taught the proper technique by an appropriate person, staff may assist people to insert and adjust hearing aids.

12.2 Following training on the Sensory module organised by training section, staff may clean hearing aids.

13. Sanitary/ incontinence protection

13.1 Staff will be involved in changing both sanitary towels and incontinence pads and must follow the hygiene principles identified in the Infection Control policy.

13.2 Staff will not insert tampons. The only exception will be when assistance is needed to enable young women with disabilities to learn how to do this as part of a planned personal and social education programme.

13.3 Sheath catheters are dealt with under clinical tasks for care staff.

14. Contraceptive Devices

14.1 Staff will not normally be involved in inserting contraceptive caps, diaphragms or female condoms or putting on male condoms.

14.2 This will only happen as part of a planned, time limited, personal and social education programme, or where there is formal agreement for the staff member to act as an enabler for a disabled person wishing to engage in sexual activity when neither they nor their partner are able to perform this task. In these circumstances, the staff member must be trained by an appropriate health care professional to ensure proper application of the contraceptive device.

15. Body Piercing

15.1 Staff may assist with the hygienic cleaning of body piercings and the changing of jewellery provided that they adhere to the infection control procedures as detailed in the policy.

15.2 Staff must wash their hands before and after the cleansing procedure and wear protective gloves at all times. A pharmacist can advise on gentle bacterial soaps containing Triclosan, which is the preferred method, and advise on alternatives if people are sensitive to Triclosan. Piercings should not be cleaned more than twice a day because of the danger of damaging skin cells and inviting infection.

15.3 With an oral piercing, after eating, drinking or smoking the mouth should be rinsed with an anti-bacterial mouthwash at a dilution of 50%-75%. It is also necessary to disinfect the piercing twice a day with warm salt water or a mild antiseptic.

15.4 The following are indications of infections:

- Redness and swelling.
- A sensation of heat at the piercing site.
- Pain, especially throbbing or spreading pain.
- An unusual discharge.

Whenever there is concern the person's GP must be contacted. The jewellery should not be removed as this may aggravate the problem by closing off the drainage for the discharge matter.

16. Practice Guidance - Clinical Tasks

16.1 Clinical tasks will only be undertaken by care staff as part of a package which addresses other intimate personal care tasks that would normally be performed by a care worker.

16.2 Sometimes staff both in-house and those of the independent care providers are requested to perform tasks which will require additional training, and which may have traditionally been performed by health personnel. There are important conditions attached to each category of task and because a task appears on a Category 1 or 2 list, it does not mean that the task will be performed automatically by a member of Gloucestershire County Council care staff and their contracted providers. CQC stress that care workers can refuse to perform a task they do not feel competent to perform.

16.3 The responsibility and accountability for all delegated health care tasks falling into category 2 remains with the health professional who is delegating the task to Gloucestershire County Council care staff or a contracted care provider. The health professional is responsible for ensuring that the G.C.C. care staff or contracted care provider is competent to undertake the delegated task by training them in the agreed competencies allotted to that task. If an incident should occur when the staff member is undertaking the task for which they were trained and is working to the agreed care plan and written procedures for that task, the liability rests with the PCT. If a GCC staff member or contracted care provider works outside the care plan and written procedures for that task or undertakes a task for which they are not trained and an incident occurs then that individual may be liable and GCC may commence disciplinary procedures.

16.4 GCC and contracted independent care provider staff are employed primarily to provide social care and should not undertake tasks which would normally be performed by trained nursing/medical personnel, even though some staff members might have nursing qualifications. There is no definition of what constitutes a nursing task but case law¹ indicates that local authorities should not be performing invasive tasks as local authorities have no power to provide health care.

17. Category 1 - Acceptable Tasks

17.1 These are the tasks falling within the normal range of activities undertaken by GCC care staff and their contracted providers as long as they have received the appropriate training. This training can be delivered to a group of people and the procedures issued on a generic basis. Staff must sign to say that they have received and understood their training. The trainer must also sign and date this.

17.2 GCC care staff or independent care provider staff are not permitted to pass on any training they have received for these tasks to other staff. Competence to complete these tasks must be re-assessed on an annual basis by the line manager or trainer, whoever is the most appropriate, and this should be recorded on the staff record. A review of the training needs of staff must take place whenever there is a change in circumstances or where there is concern expressed about the ability of the member of staff to perform a specific task.

17.3 Acceptable Care Tasks List

- Replacing a bag to an existing urethral or supra-public catheter. Emptying and measuring urine, if required.
- Putting on penile sheaths and connecting them to urine bags
- Application of topical creams and ointments
- Administration of ear drops and eye drops
- Mouth care
- Fitting supports, artificial limbs, or braces.
- Awareness of pressure care in relation to prevention and good practice.
- Assisting with the cleaning of a supra-pubic catheter site.
- Emptying, changing/replacing urostomy bags
- Emptying, changing/replacing colostomy bags
- Emptying, changing/replacing ileostomy bags.

18. Category 2 -Tasks that may be delegated by a health professional to the local authority

18.1 The tasks in this category are nursing tasks, which in appropriate circumstances can be delegated to social care staff. They all require training specific to the individual service user on a one-to-one basis by a health care professional who will assess the GCC Care staff or independent care provider staff against a series of pre-defined competencies. Competence to perform these tasks must be re-assessed annually by the health professional delegating the task or the line manager, whoever is the most appropriate and this should be recorded on the staff record. The health professional must provide written procedures for the care staff to follow and specify regular review dates.

18.2 Negotiable Care Tasks List

Complex care

- Fitting prescription support stockings, following advice from an appropriate health professional as to how frequently this task should be performed.
- Changing a two-piece system of stoma
- Assisting with obtaining midstream urine specimens, or a faecal specimen which has been medically requested. (N.B. this includes obtaining a specimen by way of an in-dwelling catheter but not be intermittent catheterisation.)
- The taking of a capillary blood test (finger prick test).
- Applying a replacement dressing, without otherwise cleaning or treating the site

- Gastrostomy/jejunostomy tube feeding, by inserting water through the tube before and after the feed and attaching the pump giving set to the gastrostomy /jejunostomy.²
- Cleansing of gastrostomy/ jejunostomy sites, including advancing and rotating a gastrostomy as directed³.
- Cleansing and inserting false eyes

Treatments

- Administering laxative suppositories but this procedure must be linked to a review by a health professional.
- Assist a person to self-administer routine, pre-measured doses of prescribed medicines via an inhaler or nebulizer as a regular procedure for chronic conditions only. The health professional must regularly monitor and review this process.
- Administering pre-set doses of insulin by pen (Residential Homes only.)
- Administering medication via a gastronomy/ jejunostomy tube but only where staff have received accredited medication training and there are no family or carers who are able/willing to perform the task.
- Assist a person to administer oxygen via a pre-set facility.
- Fitting transcutaneous Nerve Stimulation (T.E.N.s) machines, only where their use has been approved by the GP or other appropriate health care professional.
- Taking of temperatures only when there are clear guidelines in any written procedure from a health professional on what action to take to alert health staff if the temperature should exceed certain pre-defined limits. Care staff should never be expected to interpret any temperature readings.

Emergency Care Procedures

- Administering rectal Diazepam (Stesolid) or buccal Midazolam, only as an emergency procedure and subject to ongoing review.
- Oral aspiration of excess saliva from the front of the mouth with suction equipment.
- Administering anaphylactic pens, as an emergency procedure only.

This list is not exhaustive and there may be occasions when managers would be willing to negotiate to establish an individual procedure, based on the experience and willingness of staff to be trained and the nature of the task.

19. Category 3 Tasks - Not to be performed by adult social care staff in any circumstances

19.1 Generally, any task which is invasive or requires a member of care staff to make a judgement without the guidance of a health professional is unacceptable.

19.2 Unacceptable Tasks List

- The management of supra-pubic catheters, other than changing the bag and cleaning the site

- Intermittent catheterisation Bladder compression
- Management and treatment of pressure ulcers, other than planned interventions such as positioning the person.
- Manual evacuation of the bowel
- Administration of rectal enemas
- Administration of microlax enemas
- Insertion of prescribed vaginal pessaries
- Taking of venous blood samples
- Taking pulse or blood pressure readings
- The administration of medicines through a nebuliser for acute or emergency conditions
- Giving any medicines via injection (except insulin in residential care)
- Flushing to unblock any feeding tube or line. Help should be summoned from the district nursing team to assist with this.
- Assisting with the cleaning and replacement of tracheostomy tubes Assisting with the dialysis process
- Assisting with syringe driver pain relief systems
- Fitting of prescribed supports for the control of hernias
- Aspiration of naso-gastric tube
- Naso-gastric tube feeding
- Oral suction, other than oral aspiration of excess saliva from the front of the mouth with suction equipment.
- Suction through tracheostomy tube
- The administration of pre-measured doses of medicine via a naso-gastric tube

20. Emergency Procedures

20.1 An emergency is defined as a life-threatening situation so there will be occasions when a person's personal safety may be at risk and where urgent intervention is required. However, whatever the circumstances, staff should not put themselves at risk.

20.2 If a staff member is seriously concerned about an individual's physical condition and they have had the appropriate firsthand training from a health care professional or qualified trainer in emergency procedures and feel confident of intervening in an emergency situation, they can do so only as a first aid measure, and whilst ensuring that an ambulance is called first through the 999-emergency service.

20.3 This particularly applies to the administration of **rectal diazepam** [Stesolid] (Valium)/Midazolam, when a service user has a seizure and there is a risk of Status Epilepticus occurring. **The preferred course of action is for an ambulance to be called using the 999-emergency service.** Rarely, more immediate intervention will be necessary, and this may be carried out by named staff members in accordance with the procedures established in

paragraph 18.2 above. In some specialist services for people with profound and multiple disabilities, frequency of administration would place a particular burden on the ambulance service and significantly impact on the care of the service user. Here, as long as the procedures established in paragraph 18.2 above can be met, the administration of rectal diazepam or buccal midazolam are tasks that may be delegated to Adult Social Care staff. (See Administration of Medication in residential care policy and Administration of Medication in Day Care policy

In all circumstances the service user's GP and family or carer should be informed.

21. Cardiac and Respiratory Resuscitation/DNR notices

21.1 In the event of a person appearing to suffer a cardiac or respiratory arrest, an ambulance must be called using the 999-emergency service. In addition, emergency lifesaving procedures should be carried out by a trained first aider, if one is available.

21.2 There may be situations when staff are unsure whether resuscitation is appropriate due to serious illness or disability or a deterioration in a pre-existing condition. If there is concern about the likelihood of cardiac or respiratory failure in a seriously ill or profoundly disabled person, then the person's doctor must give written guidance as to what procedure is to be carried out. It will be kept with the person's medication profile.

21.3 At no time must staff make a decision themselves based on the individual's physical condition or age whether to resuscitate and they should therefore always administer first aid and call the ambulance service as stated above, unless otherwise advised by the doctor in writing. If a person has a Do not resuscitation (DNAR) decision in place this should be recorded in the service user's file (either by use of a completed DNR sticker or by written directive of the GP if an End of Life Care pathway is in place). In these situations, if staff should then find somebody in a collapsed state, they should still contact the GP to inform them and seek advice.

21.4 When there is no guidance and the person concerned is receiving palliative care, staff should still contact the GP for advice.

22. Self-Directed care

When people are employing personal assistants they take on the role of employer. Whilst those personal assistants are not governed by CQC it would be best practice to follow the guidance in this document, particularly with regards to training. Social workers should advise people at the time of assessment of the potential/need for training with particular tasks.

23. Recording

It is essential that staff must have the signed consent of the individual or their representative. The procedures to be followed with regards to specific tasks must be retained on the individual's file and whenever a task is performed it must be recorded on the file. All recording will be in accordance with the current GCC File Recording Policy and in line with the Disclosure of Service User Personal Information to Third Parties policy.

Home Support workers have additional guidance in the Home Support Workers handbook which is issued to all workers in this category and in the Community Steps Policy and Procedures:

24. Implementation

Many of the tasks in this document are familiar to adult care staff. The tasks listed under 'Clinical tasks' now have a set of competences agreed with health to support them. It will then be more re-assuring for health professionals to train care staff in a more consistent way. Some training in this area is planned as a joint venture.

25. Monitoring and Review

This policy will be reviewed within the policy management framework and monitored by operational managers.

26. Acknowledgements

Thanks to the following staff and colleagues who worked on this policy.

Helen Hodgson – NHS Gloucestershire

Sarah Warne – NHS Gloucestershire

Jeannette Kirkpatrick – Gloucestershire County Council

Charlie Law – Gloucestershire County Council